

SLINGSHOT



LTF
QUICK START GUIDE

Dear Customer,

Congratulations on your purchase of a Slingshot LTF Board. We are committed to building quality products that are fun to ride. Please take a moment to read this booklet, as it will provide you with important information on the care and maintenance of your board, as well as how to set up your board for paddling. Please contact customer service with any questions you may have.



WARNING: This model is designed to be used in flat waters (lake, rivers, sea shore...) in standing and kneeling position.




There is a risk of serious injury or death from drowning. Paddle + Wind sports can be very dangerous and physically demanding. The user of this product acknowledges, understands, and assumes the risks involved in these sports. Observe the following safety standards and safe operating practices whenever using this product.

- Always wear an approved personal flotation device.
- Wear board vests, which are not as low in the back as a marine PFD.
- Do not exceed maximum weight capacity.
- Wear a board leash to prevent the board from escaping rider.
- Do not operate the board under the influence of drugs or alcohol.
- Wear a helmet when appropriate.
- Children must be supervised by a responsible adult at all times.
- Dress appropriately for weather and marine conditions; cold water and cold weather can result in hypothermia.
- Beware of offshore winds and currents as they can take you out to sea.
- Check weather forecasts and obtain knowledge of the marine environment and weather conditions prior to voyage.
- Do not exceed your paddling or wind sport ability; be aware of your limitations.
- Check your equipment prior to each use for signs of wear, Leaks, or failure.
- Scout unfamiliar waters; portage where appropriate.
- Do not use D-Ring for towing.
- Do not use the Valve Wrench for deflation purposes.

ASSEMBLY INSTRUCTIONS / INFLATION / DEFLATION

Inflate your board with the pump that came with your board or any pump designed for inflatable boats and other low pressure inflatables. These types of pumps will have a hose and adapters to fit the valve on this board. Choose a smooth and clean surface to unfold your board on.



If you leave your board exposed to the hot sun, check the pressure and deflate it slightly. Otherwise the board may become over inflated and stretch the material. The ambient temperature affects the tube's internal pressure: a variation of 1° C / 1.8° F causes a variation of the tube pressure of +/- mBar (0.06 psi)

INFLATION (SEE DRAWING TO LEFT)

Remove the valve cover. Ensure the valve button is in the up position. This will ensure air will not rush out when you remove the pump hose. Attach the pump hose and twist it tight in the valve. Pump your board to the proper pressure. Your pump is equipped with a one-way valve feature that aids in pumping your board to full pressure. Start pumping with the valve plug inserted so you are pumping on the up and downstroke. When pumping becomes difficult, remove the valve plug and continue. Recommended air pressure is 15-18 PSI. Do not exceed 18PSI (1 bar, 1240 mbar). Once your board is inflated, remove the hose and reattach the valve cap. Twist it tight to ensure a proper seal.

DEFLATION (SEE DRAWING TO LEFT)

Remove the valve cap. Press in on the valve button until it locks in the down position. You can then push out the air and roll your board for storage.

DETACHABLE FINS:

The LTF comes with a 2 detachable 9” rear surf fins that allow the board to track in a straight line and a removable sUPWINDER center fin that allows the rider to stay upwind when using it with a wing. All fins are removable and can be installed anytime whether the board is inflated or deflated.

REAR FIN:

1. Insert the supplied square nuts into the two rear tracks and slide them to the front of the track.
2. Insert the pin at the back of the twin fins into the hole in the track and slide the fins to the rear of the box.
3. Align the hole in the tab on the front of the twin fins with track nut and use the supplied thumb twist bolt to attach the front tab of the twin fins to the track nuts.
4. For best performance slide twin fins all the way back in the tracks.

CENTER SUPWINDER FIN:

1. Insert the supplied square nut into the forward track and slide it to the back.
2. Insert front of sUPWINDER fin into the slot box and slide it forward.
3. Align the hole in the tab on the rear of the sUPWINDER with track nut and use the supplied thumb twist bolt to attach the rear tab of the sUPWINDER to the track nut
4. For best performance slide sUPWINDER fin to the back of the track.

PACKING INSTRUCTIONS:

1. Remove Fins
2. Fold sides over bottom plate, so that the rails cover the plate.
3. Fold tail up to bottom plate
4. Fold nose down to bottom plate
5. Place in bag and zip closed

MAINTENANCE

1. To deflate the board, remove the valve cap from the valve in the board.
2. Clean and check the board as well as all the accessories. Make sure the board is completely dry before putting it away. Make sure that no sand or gravel remains inside the bag - this could result in abrasion or even punctures while storing the board.
3. Rinse your board after use in salt water to avoid corrosion.
4. Roll it up from the opposite end of the valves (so remaining air can escape from the valves).
5. When storing your inflatable, keep it in a clean and dry place.



Whenever you take your board out of the water and deflate it, allow time for it to air out and dry. Neither the skin/hull or the inside chambers will suffer from water damage, but stagnant water could cause mildew and foul odor.

REPAIR A LEAK

1. Check that the board is fully deflated and lies flat.
2. Prepare a round patch no less than three inches or seven centimeters in diameter.
3. Clean the patch and the area surrounding the leak with alcohol.
4. To contain excess glue, use masking tape to tape off the area around the patch.
5. Apply a generous amount of glue to the surface of both the iSUP and patch. Apply pressure to secure the patch to the iSUP.
6. Work out all air bubbles to assure the patch has a clean bond.
7. Wait 24 hours before re-inflating.



- Perform all of your repairs in a well-ventilated area.
- Avoid inhaling glue vapors.
- Avoid contact with the skin or the eyes.
- Keep all repair materials (glue, solvents, etc.) away from the reach of children.
- The repairs on the welds must not be glued. Only the manufacturer of the board can perform repairs on the welds themselves.

WARRANTY

Slingshot warrants (legal warranty) to the original purchaser only, and from date of purchase, that the product is free from defects. The warranty applies only when this product is used for normal recreational purposes. Check with your local Slingshot dealer for details on the length of this warranty, which varies for different countries. The warranty does not cover any puncture, cut or abrasion sustained in normal use or damage from unreasonable uses or improper storage.

If any product is found to be defective, the owner may return it to the store where it was purchased along the original sales receipt. After inspection of any product found defective, Slingshot shall either repair or replace the defective part or item as deemed necessary by Slingshot. Slingshot shall not be held liable for incidental and consequential damages. There are no warranties which extend beyond the description of the face hereof. This warranty is in lieu of all other warranties. This warranty gives you specific legal rights and you may also have other rights, which may vary, from country to country.

THE MAIN LIMITATIONS TO THE APPLICATION OF THIS WARRANTY ARE THE FOLLOWING:

- The item must not be modified and/or fitted with a motor or used in any activities outside normal recreational use (such as races, rental, or commercial usage).
- Used in excess of the manufacturers recommended maximum load capacity.
- Pressure recommendations, assembly / disassembly and handling procedures must be strictly observed.
- The maintenance and storage procedures must not be neglected.
- This warranty does not cover parts and accessories not supplied or recommended by the manufacturer or defects resulting from the installation of such equipment on their products.

WARNING

DO NOT USE THIS SLINGSHOT PRODUCT UNLESS YOU HAVE READ AND UNDERSTAND THESE WARNINGS AND INSTRUCTIONS WHICH ARE FOR YOUR SAFETY AND PROTECTION. THIS INFORMATION MAY BE SUBJECT TO CHANGE AT ANYTIME. FOR CURRENT UPDATES, PLEASE VISIT OUR WEBSITE AT: www.slingshotsports.com. IF YOU ARE UNDER THE AGE OF 18, YOU SHOULD HAVE YOUR PARENT OR GUARDIAN READ THESE WARNINGS AND INSTRUCTIONS AND SHOULD NOT USE THIS PRODUCT UNLESS YOU ARE UNDER THE PROPER GUIDANCE AND SUPERVISION OF SUCH A PERSON.

The use of this equipment could result in risk of serious bodily injury or death to yourself or those in close proximity to you. Slingshot strongly recommends that beginners take a lesson from a certified school. This product is designed and manufactured for recreational use on water or snow only. Slingshot advises that you closely inspect your equipment for signs of wear and tear before each use. If there are any signs of wear and tear, replace or repair them immediately. Contact www.slingshotsports.com for more information. Never put yourself in a situation where breakage of any of the components would put you or anyone else in danger. Slingshot strongly recommends using appropriate protective gear including a certified helmet, flotation device, and wetsuit in cool water. Make sure you use properly designed and manufactured parts from reputable suppliers. (Harnesses, helmets, etc) Study the current conditions including, waves, tides, currents, and weather forecasts before going riding. Become familiar with any new location by talking to the locals and asking questions. Study the weather conditions and know your launching and landing zones.

RELEASE OF LIABILITY, CLAIM WAIVER AND ASSUMPTION OF RISK AGREEMENT

By assembling this product, you are agreeing to:

1) be bound to the terms set forth below; and 2) require anyone using this product to be bound by such terms. If you are unwilling to be bound by these terms, return this product (before use) for a full refund.

ASSUMPTION OF RISK

Use of this product and any of its components involves certain inherent risks, dangers and hazards, which can result in serious personal injury and death. In using this product you freely agree to assume and accept any and all known and unknown risks of injury while using this equipment. The risks inherent in the sport can be greatly reduced by abiding by the Warning Guidelines listed in this User's Guide and by using common sense.

BINDING EFFECT OF AGREEMENT

In the event of your death or incapacity, this Agreement shall be effective and binding upon your heirs, next of kin, executors, administrators, assigns and representatives.

ENTIRE AGREEMENT

In entering into this Agreement, you are not relying upon any oral or written representations other than what is set forth in this agreement and User's Guide.

RELEASE AND WAIVER OF CLAIMS AGREEMENT

In consideration of the sale of this product to you, you hereby agree to the fullest extent permitted by law as follows: To waive any and all claims that you have or may in the future have against Slingshot Sports LLC resulting from use of this product and any of its components. To release Slingshot Sports LLC from any and all liability for any loss, damage, injury or expense that you or any users of this product may suffer, or that your next of kin may suffer, as a result of the use of this product, due to any cause whatsoever, including negligence or breach of contract on the part of Slingshot Sports in the design or manufacture of this product.

ARBITRATION

In further consideration of the sale to you of this product and any of its components, you hereby agree to submit to binding arbitration any and all claims, which you believe you may have against Slingshot Sports arising from the use of any Slingshot LLC® equipment. The arbitration shall be pursuant to the rules of the American Arbitration Association. Arbitration shall be commenced within one (1) year from the date on which any alleged claim first arose. Further, the arbitration shall be held in the state of Washington unless otherwise mutually agreed to by all parties. The submission to the American Arbitration Association shall be limited and the arbitration award may be enforced by any court of competent jurisdiction.



210L
SLINGSHOT
BY T&F

T&F

SLINGSHOT SUPPORT

FOR FURTHER INSTRUCTIONS GO TO:

WWW.SLINGSHOTSPORTS.COM

CONTACT US:

INFO@SLINGSHOTSPORTS.COM

RIDER SERVICE LINE IN THE US:

[877.775.4832](tel:877.775.4832)

INTERNATIONAL PHONE:

[509.427.4950](tel:509.427.4950)

LOG ON TO:

SLINGSHOTSPORTS.COM/REGISTRATION TO REGISTER YOUR PRODUCT. RECEIVE SERVICE GUARANTEES, AND ACCESS TO YOUR OWN PERSONAL RIDER HOTLINE PROFESSIONAL.

SLINGSHOT