SLINGSHOT



JAVELIN V1



STRUT
DUMP VALVE
EADING EDGE
UFF HANDLE
VRIST LEAST
ONE PUMP VALVE

FOR COMPLETE USER INFORMATION PLEASE VISIT: www.slingshotsports.com/Kite-Product-Support

INFLATION AND DUMP VALVE JAVELIN //// SLINGSHOT SLINGSHOT // JAVELIN BOMB PROOF SLINGSHOT CONSTRUCTION Q.Ę SKATE SCUFF TOUGH STRIPS

CARBON BOOM

BOOM CONNECTORS

JAVELIN V1 FEATURES



FOR COMPLETE USER INFORMATION PLEASE VISIT: www.slingshotsports.com/Kite-Product-Support



WINDOW MATERIAL IN BLUE COLORWAY; CANOPY MATERIAL IN ORANGE AND GREEN COLORWAYS



JAVELIN



MARILE Marion 1 BOOM / STARL TV / PROPERTY



Attach boom to end caps before inflating. Open neoprene valve cover and unscrew inflation valve cap. Attach pump hose (sold separately) onto inflation valve and pump to indicated PSI. Squeeze one-pump clip to separate leading edge and strut bladders.







ATTACHMENT



If your nose attachment does not have a knot, slide extension through nose loop. Then slide one end of rope extension through the other.



If using a wing that is 4.5m or larger, you will need to use the leash with wrist cuff and the 30cm extension. If using a wing that is smaller than 4.5m attach leash with wrist cuff directly to nose attachment.



If your nose attachment has a knot, create a Larks head knot on one end of the pigtail and slide over the nose attachment.



Slide leash loop through free end of the rope extension and then slide wrist cuff through loop.

BOOM SETUP


SMALL WING SETUP



SIZES | 2.5 - 3.0 - 3.5 - 4.0

Use only the main section, no extension needed.

LARGER WING SETUP



SIZES | 4.5 - 5.0 - 5.5 - 6.5 - 7.5

Use the main section and the 500mm extension.

TENSION WEBBING SETUP

A. CENTER WEBBING CONNECTION



1. Loop the center webbing around the boom and connect the g-hook to the strut.

B. REGULAR WIND SETTING



In light to regular wind, set the center webbing with a slight tension.


C. OVERPOWERED SETTING



In overpowered / windy conditions, increasing the tension on the center webbing will flatten the profile and increase the wing's high wind performance.

CONTROL

Use Boom to power the wing and control wingtip roll.



DEFLATE AND STORE

Unclip the one-pump valve, open the strut deflate valve and unscrew the inflate valve to deflate. Once deflated, remove boom from end caps by depressing pins. While inflated remember to weigh it down or teather it to keep it from flying away.

While not in use, make sure it's dry before packing.
Use the storage bag and keep it in a cool, dry place.**
DO NOT LEAVE WING EXPOSED TO DIRECT SUN-LIGHT OR HEAT WHEN NOT IN USE



WARNING

DO NOT USE THIS SLINGSHOT PRODUCT UNLESS YOU HAVE READ AND UNDERSTAND THESE WARNINGS AND INSTRUCTIONS WHICH ARE FOR YOUR SAFETY AND PROTECTION. THIS INFORMATION MAY BE SUBJECT TO CHANGE AT ANYTIME. FOR CURRENT UPDATES, PLEASE VISIT OUR WEBSITE AT: www.slingshotsports.com. IF YOU ARE UNDER THE AGE OF 18, YOU SHOULD HAVE YOUR PARENT OR GUARDIAN READ THESE WARNINGS AND INSTRUCTIONS AND SHOULD NOT USE THIS PRODUCT UNLESS YOU ARE UNDER THE PROPER GUIDANCE AND SUPERVISION OF SUCH A PERSON.

The use of this equipment could result in risk of serious bodily injury or death to yourself or those in close proximity to you. Slingshot strongly recommends that beginners take a lesson from a certified school. This product is designed and manufactured for recreational use on water or snow only. Slingshot advises that you closely inspect your equipment for signs of wear and tear before each use. If there are any signs of wear and tear, replace or repair them immediately. Contact www.slingshotsports.com for more information. Never put yourself in a situation where breakage of any of the components would put you or anyone else in danger. Slingshot strongly recommends using appropriate protective gear including a certified helmet, flotation device, and wetsuit in cool water. Make sure you use properly designed and manufactured parts from reputable suppliers. (Harnesses, helmets, etc) Study the current conditions including, waves, tides, currents, and weather forecasts before going riding. Become familiar with any new location by talking to the locals and asking questions. Study the weather conditions and know your launching and landing zones.

RELEASE OF LIABILITY, CLAIM WAIVER AND ASSUMPTION OF RISK AGREEMENT

By assembling this product, you are agreeing to:

1) be bound to the terms set forth below; and 2) require anyone using this product to be bound by such terms. If you are unwilling to be bound by these terms, return this product (before use) for a full refund.

ASSUMPTION OF RISK

Use of this product and any of its components involves certain inherent risks, dangers and hazards, which can result in serious personal injury and death. In using this product you freely agree to assume and accept any and all known and unknown risks of injury while using this equipment. The risks inherent in the sport can be greatly reduced by abiding by the Warning Guidelines listed in this User's Guide and by using common sense.

BINDING EFFECT OF AGREEMENT

In the event of your death or incapacity, this Agreement shall be effective and binding upon your heirs, next of kin, executors, administrators, assigns and representatives.

ENTIRE AGREEMENT

In entering into this Agreement, you are not relying upon any oral or written representations other than what is set forth in this agreement and User's Guide.

RELEASE AND WAIVER OF CLAIMS AGREEMENT

In consideration of the sale of this product to you, you hereby agree to the fullest extent permitted by law as follows: To waive any and all claims that you have or may in the future have against Slingshot Sports LLC resulting from use of this product and any of its components. To release Slingshot Sports LLC from any and all liability for any loss, damage, injury or expense that you or any users of this product may suffer, or that your next of kin may suffer, as a result of the use of this product, due to any cause whatsoever, including negligence or breach of contract on the part of Slingshot Sports in the design or manufacture of this product.

ARBITRATION

In further consideration of the sale to you of this product and any of its components, you hereby agree to submit to binding arbitration any and all claims, which you believe you may have against Slingshot Sports arising from the use of any Slingshot LLC® equipment. The arbitration shall be pursuant to the rules of the American Arbitration Association. Arbitration shall be commenced within one (1) year from the date on which any alleged claim first arose. Further, the arbitration shall be held in the state of Washington unless otherwise mutually agreed to by all parties. The submission to the American Arbitration Association shall be limited and the arbitration award may be enforced by any court of competent jurisdiction.



SLINGSHOT SUPPORT

FOR FURTHER INSTRUCTIONS GO TO: WWW.SLINGSHOTSPORTS.COM

CONTACT US:

INFO@SLINGSHOTSPORTS.COM

RIDER SERVICE LINE IN THE US: 877.775.4832

INTERNATIONAL PHONE:

509,427,4950

LOG ON TO:

SLINGSHOTSPORTS.COM/REGISTRATION TO REGISTER YOUR PRODUCT. RECEIVE SERVICE GUARANTEES, AND ACCESS TO YOUR OWN PERSONAL RIDER HOTLINE PROFESSIONAL.

SLINGSHOT